

EPIMAN-II-Mille - Longitudinal Study on Hospitalised Patients with Acute Mania Pertaining to Primary Bipolar Disorder

Head :Hantouche Elie, Centre de l'Humeur, département de psychiatrie adulte, hôpital Pitié-Salpêtrière
Azorin Jean-Michel

Last update : 09/05/2017 | Version : 3 | ID : 21135

General

Identification

Detailed name Longitudinal Study on Hospitalised Patients with Acute Mania Pertaining to Primary Bipolar Disorder

Sign or acronym EPIMAN-II-Mille

CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation CNIL

General Aspects

Medical area Psychology and psychiatry

Health determinants Social and psychosocial factors

Keywords mixed depressive mania, psychotic mania, mismatch

Scientific investigator(s) (Contact)

Name of the director Hantouche

Surname Elie

Address 47, bd de l'Hôpital, Paris cedex 13

Email elie.hantouche@wanadoo.fr

Unit Centre de l'Humeur, département de psychiatrie adulte, hôpital Pitié-Salpêtrière

Organization Centre des Troubles Anxieux et de l'Humeur

Name of the director Azorin

Surname Jean-Michel

Phone	+33 (0)4 91 74 48 15
Email	Jean-michelRoch.AZORIN@ap-hm.fr
Organization	AP-HM Hôpitaux Sud
Collaborations	
Funding	
Funding status	Private
Details	Sanofi-Synthélabo laboratories
Governance of the database	
Sponsor(s) or organisation(s) responsible	Centre des Troubles Anxieux et de l'Humeur - CTAH
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Longitudinal study (except cohorts)
Database recruitment is carried out by an intermediary	A selection of health care professionals A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Sample consists of 317 psychiatric researchers under the responsibility of 19 regional coordinators who have undergone training for protocol and psychometric rating scales.
Database objective	
Main objective	To demonstrate the influence of temperament on the expression of mania; particularly the link between mixed mania and depressive temperament.
Inclusion criteria	- male and female - adult

- hospitalised and presenting with acute mania
pertaining to primary bipolar disorder

Population type

Age
Adulthood (19 to 24 years)
Adulthood (25 to 44 years)
Adulthood (45 to 64 years)

Population covered
Sick population

Gender
Male
Woman

Geography area
National

Detail of the geography area
Metropolitan France

Data collection

Dates

Date of first collection (YYYY or
MM/YYYY)
12/2000

Date of last collection (YYYY or
MM/YYYY)
04/2002

Size of the database

Size of the database (number of
individuals)
[1000-10 000[individuals

Details of the number of
individuals
1,090

Data

Database activity
Data collection completed

Type of data collected
Declarative data

Declarative data (detail)
Face to face interview

Details of collected declarative
data
Manic state rating scale (MRS and Beigel-Murphy),
associated depression (list of depressive
symptoms, MADRS) and psychotic elements
(SAPS).

Presence of a biobank
No

Health parameters studied
Health event/morbidity

Health event/mortality

Procedures

Participant monitoring Yes

Links to administrative sources No

Promotion and access

Promotion

Link to the document <http://www.sciencedirect.com/science/article/pii/S0003448703001161>

Link to the document <http://www.ncbi.nlm.nih.gov/pubmed/?term=Epiman-II>

Description List of publications in Pubmed

Access

Terms of data access (charter for data provision, format of data, availability delay) Contact the scientist in charge.

Access to aggregated data Access on specific project only

Access to individual data Access on specific project only