

ENP - Enquête Nationale Périnatale

Head :Blondel Béatrice, Unité de Recherche Epidémiologique sur la Santé périnatale et la Santé des Femmes et des Enfants

Last update : 11/27/2014 | Version : 1 | ID : 1219

General	
Identification	
Detailed name	Enquête Nationale Périnatale
Sign or acronym	ENP
CNIL registration number, number and date of CPP agreement, AFSSAPS (French Health Products Safety Agency) authorisation	CNIL n°909003
General Aspects	
Medical area	Infectious diseases
Keywords	Reproductive health
Scientific investigator(s) (Contact)	
Name of the director	Blondel
Surname	Béatrice
Email	beatrice.blondel@inserm.fr
Unit	Unité de Recherche Epidémiologique sur la Santé périnatale et la Santé des Femmes et des Enfants
Organization	INSERM
Collaborations	
Funding	
Funding status	Public
Details	DREES - Direction de la Recherche, des Etudes, de l'Evaluation et des Statistiques DGS - Direction Générale de la Santé Contribution des services de Protection Maternelle et Infantile de chaque département à la coordination de l'enquête

Governance of the database	
Sponsor(s) or organisation(s) responsible	DGS - Direction Générale de la Santé
Organisation status	Public
Sponsor(s) or organisation(s) responsible	DREES - Direction de la Recherche, des Etudes, de l'Evaluation et des Statistiques
Organisation status	Public
Sponsor(s) or organisation(s) responsible	INSERM - Institut National de la Santé et de la Recherche Médicale
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Repeated cross-sectional studies (except case control studies)
Database recruitment is carried out by an intermediary	A selection of health institutions and services
Database recruitment is carried out as part of an interventional study	No
Additional information regarding sample selection.	Exhaustive sample of all births over the equivalent of a week in a given month
Database objective	
Main objective	This survey's objectives are to: - find out the main health condition indicators, medical practices during pregnancy and delivery and perinatal risk factors; it will thus be possible to monitor their trends from previous national surveys (1995, 1998 and 2003); - provide a national sample with which it is possible to compare département or regional data from other sources; - provide information for guiding public health

decisions and evaluate health actions in the perinatal field.

Inclusion criteria	All children born alive, still born and therapeutic abortions, if the birth or pregnancy termination takes place at 22 weeks of amenorrhea at least or if the child weighs at least 500 grams at birth. The collection comprises births in all maternity departments (public and private) over the equivalent of a week. Since the event observed is childbirth, a questionnaire is completed for each child in the case of twins, triplets or more.
--------------------	--

Population type

Age	Newborns (birth to 28 days)
-----	-----------------------------

Population covered	General population
--------------------	--------------------

Gender	Male Woman
--------	---------------

Geography area	National
----------------	----------

Detail of the geography area	Metropolitan France and overseas department
------------------------------	---

Data collection

Dates

Date of first collection (YYYY or MM/YYYY)	1995
--	------

Date of last collection (YYYY or MM/YYYY)	2010
---	------

Size of the database

Size of the database (number of individuals)	[10 000-20 000[individuals
--	-----------------------------

Details of the number of individuals	15 000 (2010)
--------------------------------------	---------------

Data

Database activity	Current data collection
-------------------	-------------------------

Type of data collected	Clinical data Declarative data
------------------------	-----------------------------------

Clinical data (detail)	Direct physical measures
------------------------	--------------------------

Declarative data (detail)	Face to face interview
Presence of a biobank	No
Health parameters studied	Health event/morbidity Health care consumption and services
Care consumption (detail)	Hospitalization Medical/paramedical consultation
Procedures	
Data collection method	Systematic collection Three data sources: interviews in person with women just after childbirth, data from the maternity medical record and data describing maternity departments
Participant monitoring	No
Links to administrative sources	No
Promotion and access	
Promotion	
Link to the document	http://www.sante.gouv.fr/resultats-de-l-enquete-nationale-perinatale-2003.html
Access	
Terms of data access (charter for data provision, format of data, availability delay)	methods for accessing the database are currently being defined
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only