

- Cross-sectional study of the consumption of psychotropic agents among young adults: correlation with social inequalities

Head :Falissard Bruno, Inserm U1018 - Centre de Recherche en Épidémiologie et Santé des Populations
Équipe: Genre, Santé sexuelle et Reproductive
Chau Nearkasen

Last update : 10/19/2017 | Version : 1 | ID : 4184

General	
Identification	
Detailed name	Cross-sectional study of the consumption of psychotropic agents among young adults: correlation with social inequalities
General Aspects	
Medical area	Psychology and psychiatry
Health determinants	Addictions Social and psychosocial factors
Keywords	Social inequalities, use of psychotropic agents, young adult, study
Scientific investigator(s) (Contact)	
Name of the director	Falissard
Surname	Bruno
Address	CESP
Phone	+33 (0)1 58 41 58 50
Email	falissard_b@wanadoo.fr
Unit	Inserm U1018 - Centre de Recherche en Épidémiologie et Santé des Populations Équipe: Genre, Santé sexuelle et Reproductive
Organization	INSERM - Institut National de la Santé et de la Recherche
Name of the director	Chau
Surname	Nearkasen
Address	8 rue du Breuil, F-54180 Heillecourt

Phone	+33 (0)3 83 57 61 46
Email	nearkasen.chau@wanadoo.fr
Organization	INSERM - Institut National de la Santé et de la Recherche
Collaborations	
Funding	
Funding status	Public
Details	Public
Governance of the database	
Sponsor(s) or organisation(s) responsible	INSERM - Institut National de la Santé et de la Recherche Médicale
Organisation status	Public
Additional contact	
Main features	
Type of database	
Type of database	Study databases
Study databases (details)	Not-repeated cross-sectional studies (except case control studies)
Database recruitment is carried out by an intermediary	A population file
Database recruitment is carried out as part of an interventional study	No
Database objective	
Main objective	To study the relationship between social inequalities and the use of psychotropic agents
Inclusion criteria	Youths 15 years of age and older living in Lorraine, selected at random
Population type	
Age	Adulthood (19 to 24 years)

Population covered	General population
Pathology	
Gender	Male Woman
Geography area	Regional
French regions covered by the database	Alsace Champagne-Ardenne Lorraine
Detail of the geography area	Lorraine
Data collection	
Dates	
Date of first collection (YYYY or MM/YYYY)	2007
Size of the database	
Size of the database (number of individuals)	[1000-10 000[individuals
Details of the number of individuals	1257
Data	
Database activity	Data collection completed
Type of data collected	Declarative data
Declarative data (detail)	Paper self-questionnaire
Details of collected declarative data	Sex, year of birth, height, weight, level of education, occupation, tobacco consumption, alcohol consumption, income, health condition, diseases, handicaps, personality traits, family support, frequency of consumption of psychotropic medicines for fatigue, anxiety or insomnia.
Presence of a biobank	No
Health parameters studied	Health event/morbidity
Procedures	
Data collection method	Standardised self-questionnaires to be completed at home (sex, age, weight, height, educational level,

self-perception, consumption of tobacco, alcohol, etc.)

Participant monitoring	Yes
Monitoring procedures	Monitoring by contact with the participant (mail, e-mail, telephone etc.)
Details on monitoring of participants	3 standardised questionnaires at one-month intervals
Links to administrative sources	No

Promotion and access

Promotion

Link to the document	http://www.ncbi.nlm.nih.gov/pubmed/?term=Social+inequalities+and+correlates+of+psychotropic+drug+use+among+young+adults%3A+a+population-based+questionnaire+study
Link to the document	http://www.equityhealthj.com/content/7/1/3

Access

Terms of data access (charter for data provision, format of data, availability delay)	Contact the scientist in charge
Access to aggregated data	Access on specific project only
Access to individual data	Access on specific project only